







1 / 21





2 / 21




3 / 21




4 / 21

**FIG. 7A****FIG. 7B**

5/21



6 / 21

**FIG. 10**

7 / 21




FIG. 11




FIG. 12

8 / 21






FIG. 13



Staphylokinase Peptide	HLA Association	p	HLA Increased	HLA Decreased	Warmerdam, et al (2002)* Region
5			DQ2	56% vs 27%, p < 0.08	D1 DR3, 7, 2
20	DR2 (15)	p < 0.03	DQ6	70% vs 40%, p < 0.08	F2 DR1, 4 0% vs 23%, p < 0.09
21			DR6 (13)	50% vs 23% p < 0.11	C3 DR2, 3, 4, 6, 7, 8
29	DR5 (11)	p < 0.01			n.f.#
36			DR3	37% vs 14%, p < 0.09	D4 DR3, 6
n.f.#					A5 DR2, 5, 6, 8

FIG. 15



9 / 21

**FIG. 14A****FIG. 14B**



10 / 21

**FIG. 16A****FIG. 16B**



12 / 21





13 / 21





14 / 21





15 / 21

**FIG. 24****FIG. 25**



16 / 21

**FIG. 26****FIG. 27**



17 / 21

**FIG. 28****FIG. 29**



18 / 21

**FIG. 30A****FIG. 30B**


19 / 21

**FIG. 31A****FIG. 31B**

20 / 21

**FIG. 32****FIG. 33**

21 / 21

**FIG. 34**